




连接工业应用

CONNECTING INDUSTRIAL APPLICATIONS

APPLICATIONS

应用领域

螺纹防水连接器与电缆组件

Threaded waterproof connectors and cable assemblies

01 无人机

UAV

02 无人船

UNMANNED VESSELS

03 工业机械手臂

ROBOTICS

04 工程机械

CONSTRUCTION MACHINERY

05 轨道交通

RAIL TRANSPORT

06 工业自动化

INDUSTRIAL AUTOMATION

现场布线，灵活连接

On-site wiring, flexible connections

支持现场设备连接与多种长度电缆配套。

多种系列预制电缆，为不同应用提供连接选择。

Supports on-site equipment connections with cables in various lengths.

Pre-assembled cables across multiple series offer options for different applications.

PRODUCT SERIES / 03

M12

螺纹防水连接器

THREADED WATERPROOF CONNECTORS

产品规格 / Product specifications

芯数 Number of contacts	4 芯		5 芯		8 芯	12 芯	17 芯
防插错编码 Ant insertion error coding	A	D	A	B	A	A	A
额定电压 Rated current	250V	250V	60V	60V	30V	30V	30V
额定电流 Rated current	4A	4A	4A	4A	2A	1.5A	1.5A
针端绝缘体正面图 Front view of needle and insulator							

芯数 Number of contacts	6 芯	8 芯	
防插错编码 Ant insertion error coding	Y	X	
额定电压 Rated current	50V	50V AC/60V DC	
额定电流 Rated current	0.5A/12A	0.5A	
针端绝缘体正面图 Front view of needle and insulator			

芯数 Number of contacts	3(2+PE)芯			4(3+PE) 芯		
防插错编码 Ant insertion error coding	C	M	S	C	M	S
额定电压 Rated current	250V	630V	630V	250V	630V	630V
额定电流 Rated current	4A	8A	12A	4A	8A	12A
针端绝缘体正面图 Front view of needle and insulator						

芯数 Number of contacts	4 芯	5(4+PE) 芯			6(5+PE) 芯		
防插错编码 Ant insertion error coding	T	C	K	L	M	C	M
额定电压 Rated current	63V	60V	630V	63V	630V	30V	630V
额定电流 Rated current	12A	2A	12A	16A	8A	2A	8A
针端绝缘体正面图 Front view of needle and insulator							

产品参数 /Product parameters

额定冲击电压 /Rated impulse voltage	800V, 1500V, 2500V/6000V DC
防护等级 /Degree of protection	IP67
连接截面 /Wire gauge	0.14mm ² (26AWG)~1.2mm ² (16AWG)
工作温度 /Temperature	-40°C~+85°C
接触电阻 /Contact resistance	≤9mΩ
机械寿命 /Mechanical life	> 500插拔周期 /mating cycles
过电保护等级 /Over voltage categorie	II
绝缘组别 /Insulation grade	II
污染等级 /Pollution degree	3
外壳材料 /Material group	CuZn (黄铜镀镍 /Brass nickel plated)
胶芯材料 /Rubber core material	PA
触点材料 /Contact material	CuZn (黄铜镀金/Brass gold plated)


产品命名规则 /Product Naming Rules

GB24-M12-H-08-A-01-C

产品项目编码
Project code
产品螺纹代号
Thread code
产品类别代号
Type code


识别码
ID code
流水号
Sequence No.
产品键位
Key code
产品芯数
Contact count

- 全塑料浇铸电缆插头，针端，非屏蔽，焊接式
All-plastic cast cable plug, pin-end, unshielded, soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
3	A	GB24-M12-LS03A01
4	A	GB24-M12-LS04A01
5	A	GB24-M12-LS05A01
8	A	GB24-M12-LS08A01
12	A	GB24-M12-LS12A01
17	A	GB24-M12-LS17A01

- 全塑料浇铸电缆插头，孔端，非屏蔽，焊接式
All-plastic cast cable plug, hole-end, unshielded, soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
3	A	GB24-M12-LS03A02
4	A	GB24-M12-LS04A02
5	A	GB24-M12-LS05A02
8	A	GB24-M12-LS08A02
12	A	GB24-M12-LS12A02
17	A	GB24-M12-LS17A02

- 浇铸电缆插头，针端，非屏蔽，焊接式
Cast cable plugs, pin-end, unshielded, soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
3	A	GB24-M12-LT03A01
4	A	GB24-M12-LT04A01
5	A	GB24-M12-LT05A01
8	A	GB24-M12-LT08A01
12	A	GB24-M12-LT12A01
17	A	GB24-M12-LT17A01

- 浇铸电缆插头，孔端，非屏蔽，焊接式
Cast cable plugs, hole ends, unshielded, welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
3	A	GB24-M12-LT03A02
4	A	GB24-M12-LT04A02
5	A	GB24-M12-LT05A02
8	A	GB24-M12-LT08A02
12	A	GB24-M12-LT12A02
17	A	GB24-M12-LT17A02

- 浇铸电缆插头，针端，屏蔽，焊接式
Cast cable plugs, pin ends, shielded, welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
5	A	GB24-M12-LT05A03
8	A	GB24-M12-LT08A03
12	A	GB24-M12-LT12A03
17	A	GB24-M12-LT17A03

- 压铸电缆插头，孔端，非屏蔽，焊接式
Cast cable plugs, hole ends, unshielded, soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
5	A	GB24-M12-LT05A04
8	A	GB24-M12-LT08A04
12	A	GB24-M12-LT12A04
17	A	GB24-M12-LT17A04

- 压铸防退电缆插头，孔端，非屏蔽，焊接式
Cast anti-pull cable plugs, hole ends, unshielded, soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
5	A	GB24-M12-LT05A06
8	A	GB24-M12-LT08A06
12	A	GB24-M12-LT12A06
17	A	GB24-M12-LT17A06

- 压铸防退电缆插头，针端，非屏蔽，焊接式
Cast anti-pull cable plugs, pin-end, unshielded, soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
5	A	GB24-M12-LT05A07
8	A	GB24-M12-LT08A07
12	A	GB24-M12-LT12A07
17	A	GB24-M12-LT17A07

- 压铸防退电缆插头，孔端，非屏蔽，焊接式
Cast anti-pull cable plugs, hole ends, unshielded, welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
5	A	GB24-M12-LS05A06
8	A	GB24-M12-LS08A06
12	A	GB24-M12-LS12A06
17	A	GB24-M12-LS17A06

- 压铸防退电缆插头，针端，非屏蔽，焊接式
Cast anti-pull cable plugs, pin-end, unshielded, welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
5	A	GB24-M12-LS05A07
8	A	GB24-M12-LS08A07
12	A	GB24-M12-LS12A07
17	A	GB24-M12-LS17A07

- 浇铸电缆插头，针端，屏蔽，焊接式
Cast cable plugs, pin ends, shielded, welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
3	A	GB24-M12-T03A01
4	A	GB24-M12-T04A01
5	A	GB24-M12-T05A01
8	A	GB24-M12-T08A01
12	A	GB24-M12-T12A01
17	A	GB24-M12-T17A01

- 浇铸电缆插头，孔端，屏蔽，焊接式
Cast cable plugs, hole ends, shielded, welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
3	A	GB24-M12-T03A02
4	A	GB24-M12-T04A02
5	A	GB24-M12-T05A02
8	A	GB24-M12-T08A02
12	A	GB24-M12-T12A02
17	A	GB24-M12-T17A02

- 浇铸防退电缆插头，孔端，不带屏蔽，端子式
Cast anti-pull cable plugs, hole ends, unshielded, terminal type




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	A	GB24-M12-T04A10
4	B	GB24-M12-T04B10
4	D	GB24-M12-T04D10
5	A	GB24-M12-T05A10
5	B	GB24-M12-T05B10
5	D	GB24-M12-T05D10

- 浇铸防退电缆插头，针端，不带屏蔽，端子式
Cast anti-pull cable plugs, pin ends, unshielded, terminal type




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	A	GB24-M12-T04A11
4	B	GB24-M12-T04B11
4	D	GB24-M12-T04D11
5	A	GB24-M12-T05A11
5	B	GB24-M12-T05B11
5	D	GB24-M12-T05D11

- 浇铸防退电缆插头，孔端，屏蔽，端子式
Cast anti-pull cable plugs, hole ends, shielded, terminal type




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	A	GB24-M12-LT04A10
4	B	GB24-M12-LT04B10
4	D	GB24-M12-LT04D10
5	A	GB24-M12-LT05A10
5	B	GB24-M12-LT05B10
5	D	GB24-M12-LT05D10

- 压铸防退电缆插头，针端，屏蔽，端子式
Cast anti-pull cable plugs, pin ends, shielded, terminal type




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	A	GB24-M12-LT04A11
4	B	GB24-M12-LT04B11
4	D	GB24-M12-LT04D11
5	A	GB24-M12-LT05A11
5	B	GB24-M12-LT05B11
5	D	GB24-M12-LT05D11

- 组装插头，针端，非屏蔽，焊接式
Assembled plug, pin-ended, unshielded, soldered




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	4.0-6.0	GB24-M12-R04A01
5	A	4.0-6.0	GB24-M12-R05A01
8	A	4.0-6.0	GB24-M12-R08A01
12	A	4.0-6.0	GB24-M12-R12A01
17	A	4.0-6.0	GB24-M12-R17A01

- 组装插头，孔端，非屏蔽，焊接式
Assembled plug, hole-ended, unshielded, soldered




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	4.0-6.0	GB24-M12-R04A02
5	A	4.0-6.0	GB24-M12-R05A02
8	A	4.0-6.0	GB24-M12-R08A02
12	A	4.0-6.0	GB24-M12-R12A02
17	A	4.0-6.0	GB24-M12-R17A02

- 现场组装插头，针端，非屏蔽，螺钉连接，直头
Field assembled plugs, pin ends, unshielded, screw connections, straight ends




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	6.0-8.0	GB24-M12-H04A01C
5	A	6.0-8.0	GB24-M12-H05A01C
8	A	6.0-8.0	GB24-M12-H08A01C
4	A	4.0-6.0	GB24-M12-H04A01D
5	A	4.0-6.0	GB24-M12-H05A01D
8	A	4.0-6.0	GB24-M12-H08A01D

- 现场组装插头，孔端，非屏蔽，螺钉连接，直头
Field assembled plugs, hole ends, unshielded, screw connections, straight ends




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	6.0-8.0	GB24-M12-H04A02C
5	A	6.0-8.0	GB24-M12-H05A02C
8	A	6.0-8.0	GB24-M12-H08A02C
4	A	4.0-6.0	GB24-M12-H04A02D
5	A	4.0-6.0	GB24-M12-H05A02D
8	A	4.0-6.0	GB24-M12-H08A02D

- 压铸电缆插头，针端，焊接式
Cast cable plugs, pin-end, soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
5	L	GB24-M12-LT05L01

- 压铸电缆插头，孔端，焊接式
Cast cable plugs, hole-end, soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
5	L	GB24-M12-LT05L02

- 压铸电缆插头，针端，焊接式
Cast cable plugs, pin-end, soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
5	K	GB24-M12-LT05K01

- 压铸电缆插头，孔端，焊接式
Cast cable plugs, hole-end, soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
5	K	GB24-M12-LT05K02

- 压铸电缆插头，针端，焊接式
Cast cable plugs, pin-end, soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	T	GB24-M12-LT04T01

- 浇铸电缆插头，孔端，焊接式
Cast cable plugs, hole-end, soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	T	GB24-M12-LT04T02

- 浇铸电缆插头，针端，焊接式
Cast cable plugs, pin-end, soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	S	GB24-M12-LT04S01

- 浇铸电缆插头，孔端，焊接式
Cast cable plugs, hole-end, soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	S	GB24-M12-LT04S02

- 浇铸电缆插头，针端，焊接式
Cast cable plugs, pin-end, soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
6	M	GB24-M12-LT06M01

- 浇铸电缆插头，孔端，焊接式
Cast cable plugs, hole-end, soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
6	M	GB24-M12-LT06M02

- 浇铸防退电缆插头，针端，屏蔽，焊接式
Cast anti-pull cable plugs, pin ends, shielded, welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	A	GB24-M12-T04A07
5	A	GB24-M12-T05A07
8	A	GB24-M12-T08A07
12	A	GB24-M12-T12A07
17	A	GB24-M12-T17A07
4	B	GB24-M12-T04B07
5	B	GB24-M12-T05B07
4	D	GB24-M12-T04D07
5	D	GB24-M12-T05D07

- 浇铸防退电缆插头，孔端，屏蔽，焊接式
Cast anti-pull cable plugs, hole ends, shielded, welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	A	GB24-M12-T04A08
5	A	GB24-M12-T05A08
8	A	GB24-M12-T08A08
12	A	GB24-M12-T12A08
17	A	GB24-M12-T17A08
4	B	GB24-M12-T04B08
5	B	GB24-M12-T05B08
4	D	GB24-M12-T04D08
5	D	GB24-M12-T05D08

- 全金属现场组装插头，针端，屏蔽，螺钉连接
All-metal field assembly plug, needle end, shield, screw connection




针数 Cant acts	编码 Coding	订货号 Ordering-No.
2	A	GB24-M12-KT02A01
3	A	GB24-M12-KT03A01
4	A	GB24-M12-KT04A01
5	A	GB24-M12-KT05A01
8	A	GB24-M12-KT08A01
3	B	GB24-M12-KT03B01
4	B	GB24-M12-KT04B01
3	D	GB24-M12-KT03D01
4	D	GB24-M12-KT04D01

- 全金属现场组装插头，孔端，屏蔽，螺钉连接
All-metal field assembly plug, hole end, shield, screw connection




针数 Cant acts	编码 Coding	订货号 Ordering-No.
2	A	GB24-M12-KT02A02
3	A	GB24-M12-KT03A02
4	A	GB24-M12-KT04A02
5	A	GB24-M12-KT05A02
8	A	GB24-M12-KT08A02
3	B	GB24-M12-KT03B02
4	B	GB24-M12-KT04B02
3	D	GB24-M12-KT03D02
4	D	GB24-M12-KT04D02

- 组装插头，针端，屏蔽，螺钉连接
Field-assembled plugs, pin ends, shielded, screw connection




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	S	8-10	GB24-M12-H04S01
4	T	8-10	GB24-M12-H04T01

- 组装插头，孔端，屏蔽，螺钉连接
Field-assembled plugs, hole ends, shielded, screw connection




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	S	8-10	GB24-M12-H04S02
4	T	8-10	GB24-M12-H04T02

- 全金属现场组装插头，针端，屏蔽，焊接式，直头
All-metal field-assembled plugs, pin ends, shielded, soldered, straight




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	6.0-8.0	GB24-M12-ZH04A01
5	A	6.0-8.0	GB24-M12-ZH05A01
8	A	6.0-8.0	GB24-M12-ZH08A01
12	A	6.0-8.0	GB24-M12-ZH12A01
17	A	6.0-8.0	GB24-M12-ZH17A01

- 全金属现场组装插头，孔端，屏蔽，焊接式，直头
All-metal field-assembled plugs, hole ends, shielded, welded, straight




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	6.0-8.0	GB24-M12-ZH04A02
5	A	6.0-8.0	GB24-M12-ZH05A02
8	A	6.0-8.0	GB24-M12-ZH08A02
12	A	6.0-8.0	GB24-M12-ZH12A02
17	A	6.0-8.0	GB24-M12-ZH17A02

- 全金属现场组装插头，针端，屏蔽，压接式，直头
All-metal field-assembled plugs, pin ends, shielded, crimped, straight




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	6.0-8.0	GB24-M12-Y04A01
8	A	8-10	GB24-M12-Y08A05
4	D	6.0-8.0	GB24-M12-Y04D01
8	X	6.0-8.0	GB24-M12-Y08X05
8	X	8-10	GB24-M12-Y08X03C-01
5	A	6.0-8.0	GB24-M12-Y05A05
5	A	6.0-8.0	GB24-M12-Y05A06
8	Y	6.0-8.0	GB24-M12-Y08Y01
8	Y	8-10	GB24-M12-Y08Y03

- 全金属现场组装插头，孔端，屏蔽，压接式，直头
All-metal field-assembled plugs, hole ends, shielded, crimped, straight




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	6.0-8.0	GB24-M12-Y04A02
8	A	6.0-8.0	GB24-M12-Y08A02
4	D	6.0-8.0	GB24-M12-Y04D02
4	D	6.0-8.0	GB24-M12-Y04D04
8	X	6.0-8.0	GB24-M12-Y08X02
8	Y	6.0-8.0	GB24-M12-Y08Y02
8	X	8-10	GB24-M12-Y08X04

- 现场组装插头，针端，屏蔽，压接式，直头，推拉自锁式
Field assembled plugs, pin ends, shielded, crimp, straight, push-pull self-locking




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	D	6.0-8.0	GB24-M12-PY04D01
8	X	6.0-8.0	GB24-M12-PY08X01

- 全金属现场组装插头，针端，屏蔽，压接式，直头
All-metal field-assembled plugs, pin ends, shielded, crimped, straight




针数 Cant acts	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
10	6.0-8.0	GB24-M12-Y1001

- 全金属现场组装插头，针端，屏蔽，压接式，直头
All-metal field-assembled plugs, pin ends, shielded, crimped, straight




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
5	L	8-10	GB24-M12-Y05L01
5	K	8-10	GB24-M12-Y05K01

- 全金属现场组装插头，孔端，屏蔽，压接式，直头
All-metal field-assembled plugs, hole ends, shielded, crimped, straight




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
5	L	8-10	GB24-M12-Y05L02
5	K	8-10	GB24-M12-Y05K02

- 全金属现场组装插头，针端，屏蔽，压接式，直头
All-metal field-assembled plugs, hole ends, shielded, crimped, straight




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	D	4.0-8.0	GB24-M12-ZY04D01
4	A	4.0-8.0	GB24-M12-ZY04A01
5	A	4.0-8.0	GB24-M12-ZY05A01
8	X	4.0-8.0	GB24-M12-ZY08X01

- 全金属现场组装插头，孔端，屏蔽，压接式，直头
All-metal field-assembled plugs, hole ends, shielded, crimped, straight




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	D	4.0-8.0	GB24-M12-ZY04D02
4	A	4.0-8.0	GB24-M12-ZY04A02
5	A	4.0-8.0	GB24-M12-ZY05A02
8	X	4.0-8.0	GB24-M12-ZY08X02

- 全塑料组装插头，针端，焊接式，直头
All-plastic assembled plug, pin ends, soldered, straight




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	6.0-8.0	GB24-M12-RH04A01
5	A	6.0-8.0	GB24-M12-RH05A01
4	D	6.0-8.0	GB24-M12-RH04D01
5	D	6.0-8.0	GB24-M12-RH05D01
8	A	6.0-8.0	GB24-M12-RH08A01
12	A	6.0-8.0	GB24-M12-RH12A01
17	A	6.0-8.0	GB24-M12-RH17A01

- 全塑料组装插头，孔端，焊接式，直头
All-plastic assembled plug, hole ends, welded, straight




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	6.0-8.0	GB24-M12-RH04A02
5	A	6.0-8.0	GB24-M12-RH05A02
4	D	6.0-8.0	GB24-M12-RH04D02
5	D	6.0-8.0	GB24-M12-RH05D02
8	A	6.0-8.0	GB24-M12-RH08A02
12	A	6.0-8.0	GB24-M12-RH12A02
17	A	6.0-8.0	GB24-M12-RH17A02

- 全塑料组装插头，针端，焊接式，弯头
All-plastic assembled plug, pin ends, welded, elbowed



针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	6.0-8.0	GB24-M12-WRH04A01
5	A	6.0-8.0	GB24-M12-WRH05A01
8	A	6.0-8.0	GB24-M12-WRH08A01
12	A	6.0-8.0	GB24-M12-WRH12A01
17	A	6.0-8.0	GB24-M12-WRH17A01

- 全塑料组装插头，孔端，焊接式，弯头
All-plastic assembled plug, hole ends, welded, elbowed




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	6.0-8.0	GB24-M12-WRH04A02
5	A	6.0-8.0	GB24-M12-WRH05A02
8	A	6.0-8.0	GB24-M12-WRH08A02
12	A	6.0-8.0	GB24-M12-WRH12A02
17	A	6.0-8.0	GB24-M12-WRH17A02

- 现场组装插头，针端，非屏蔽，弯头，螺钉连接
Field assembled plugs, pin ends, unshielded, elbowed, screw connections




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	6.0-8.0	GB24-M12-WT04A01C
5	A	6.0-8.0	GB24-M12-WT05A01C
8	A	6.0-8.0	GB24-M12-WT08A01C
4	B	6.0-8.0	GB24-M12-WT04B01C
5	B	6.0-8.0	GB24-M12-WT05B01C
4	D	6.0-8.0	GB24-M12-WT04D01C
5	D	6.0-8.0	GB24-M12-WT05D01C

- 现场组装插头，针端，非屏蔽，弯头，螺钉连接
Field assembled plugs, pin ends, unshielded, elbowed, screw connections




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	4.0-6.0	GB24-M12-WT04A01D
5	A	4.0-6.0	GB24-M12-WT05A01D
8	A	4.0-6.0	GB24-M12-WT08A01D
4	B	4.0-6.0	GB24-M12-WT04B01D
5	B	4.0-6.0	GB24-M12-WT05B01D
4	D	4.0-6.0	GB24-M12-WT04D01D
5	D	4.0-6.0	GB24-M12-WT05D01D

- 现场组装插头，孔端，非屏蔽，弯头，螺钉连接
Field assembled plugs, hole ends, unshielded, elbowed, screw connections




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	6.0-8.0	GB24-M12-WT04A02C
5	A	6.0-8.0	GB24-M12-WT05A02C
8	A	6.0-8.0	GB24-M12-WT08A02C
4	B	6.0-8.0	GB24-M12-WT04B02C
5	B	6.0-8.0	GB24-M12-WT05B02C
4	D	6.0-8.0	GB24-M12-WT04D02C
5	D	6.0-8.0	GB24-M12-WT05D02C

- 现场组装插头，孔端，非屏蔽，弯头，螺钉连接
Field assembled plugs, hole ends, unshielded, elbowed, screw connections




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	4.0-6.0	GB24-M12-WT04A02D
5	A	4.0-6.0	GB24-M12-WT05A02D
8	A	4.0-6.0	GB24-M12-WT08A02D
4	B	4.0-6.0	GB24-M12-WT04B02D
5	B	4.0-6.0	GB24-M12-WT05B02D
4	D	4.0-6.0	GB24-M12-WT04D02D
5	D	4.0-6.0	GB24-M12-WT05D02D

- 前锁法兰座, 孔端, 屏蔽, PCB 板接式
Front locking flange seat, hole end, shielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
8	X	GB24-M12-WZ08X02A
8	Y	GB24-M12-WZ08Y02

- 后锁弯角插座, 孔端, 非屏蔽, PCB 板接式
Rear lock angled receptacle, hole end, unshielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	D	GB24-M12-WZ04D04

- 前锁弯角插座, 孔端, 非屏蔽, PCB 板接式
Front lock angled receptacle, hole end, unshielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	D	GB24-M12-WZ04D08
5	D	GB24-M12-WZ05D08

- 全金属现场组装插头, 针端, 屏蔽, 压接式, 弯头
All-metal field-assembled plugs, pin ends, shielded, crimp-on, elbowed




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	8-10	GB24-M12-WY04A05
4	D	8-10	GB24-M12-WY04D05
8	X	8-10	GB24-M12-WY08X05
8	A	8-10	GB24-M12-WY08A05

- 全金属现场组装插头, 孔端, 屏蔽, 压接式, 弯头
All-metal field-assembled plugs, hole ends, shielded, crimp-on, elbowed




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	8-10	GB24-M12-WY04A04
4	D	8-10	GB24-M12-WY04D04
8	A	8-10	GB24-M12-WY08A04
8	X	8-10	GB24-M12-WY08X04

- 全金属现场组装插头，针端，屏蔽，焊接式，弯头
All-metal field-assembled plugs,hole ends,shielded,welded,elbowed




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	6.0-8.0	GB24-M12-WZH04A01
5	A	6.0-8.0	GB24-M12-WZH05A01
8	A	6.0-8.0	GB24-M12-WZH08A01
12	A	6.0-8.0	GB24-M12-WZH12A01
17	A	6.0-8.0	GB24-M12-WZH17A01

- 全金属现场组装插头，孔端，屏蔽，焊接式，弯头
All-metal field-assembled plugs,hole ends,shielded,welded,elbowed




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	6.0-8.0	GB24-M12-WZH04A02
5	A	6.0-8.0	GB24-M12-WZH05A02
8	A	6.0-8.0	GB24-M12-WZH08A02
12	A	6.0-8.0	GB24-M12-WZH12A02
17	A	6.0-8.0	GB24-M12-WZH17A02

- 全金属现场组装插头，针端，屏蔽，弯头，螺钉连接
All-metal field assembled plugs, pin ends, shielded, elbowed, screw connections




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	6.0-8.0	GB24-M12-KWT04A01
5	A	6.0-8.0	GB24-M12-KWT05A01
8	A	6.0-8.0	GB24-M12-KWT08A01
4	B	6.0-8.0	GB24-M12-KWT04B01
5	B	6.0-8.0	GB24-M12-KWT05B01
4	D	6.0-8.0	GB24-M12-KWT04D01
5	D	6.0-8.0	GB24-M12-KWT05D01

- 现场组装插头，孔端，屏蔽，螺钉连接
Field assembled plugs, hole ends, shields, elbows, screw connections




针数 Cant acts	编码 Coding	电缆出口直径 Cabel outlet(mm)	订货号 Ordering-No.
4	A	6.0-8.0	GB24-M12-KWT04A02
5	A	6.0-8.0	GB24-M12-KWT05A02
8	A	6.0-8.0	GB24-M12-KWT08A02
4	B	6.0-8.0	GB24-M12-KWT04B02
5	B	6.0-8.0	GB24-M12-KWT05B02
4	D	6.0-8.0	GB24-M12-KWT04D02
5	D	6.0-8.0	GB24-M12-KWT05D02

- 前锁弯角插座，孔端，非屏蔽，PCB 板接式
Front lock angled receptacle, hole end, unshielded, PCB board mount




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
4	A	M12*1.0	GB24-M12-WZ04A01
5	A	M12*1.0	GB24-M12-WZ05A01
8	A	M12*1.0	GB24-M12-WZ08A04
12	A	M12*1.0	GB24-M12-WZ12A01
4	B	M12*1.0	GB24-M12-WZ04B01
5	B	M12*1.0	GB24-M12-WZ05B01
4	D	M12*1.0	GB24-M12-WZ04D01
5	D	M12*1.0	GB24-M12-WZ05D01
17	A	M12*1.0	GB24-M12-WZ17A10

- 前锁弯角插座，针端，非屏蔽，PCB 板接式
Front locking angled receptacle, pin end, unshielded, PCB board mount




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
4	A	M12*1.0	GB24-M12-WZ04A02
5	A	M12*1.0	GB24-M12-WZ05A02
8	A	M12*1.0	GB24-M12-WZ08A03
12	A	M12*1.0	GB24-M12-WZ12A02
4	B	M12*1.0	GB24-M12-WZ04B02
5	B	M12*1.0	GB24-M12-WZ05B02
4	D	M12*1.0	GB24-M12-WZ04D02
5	D	M12*1.0	GB24-M12-WZ05D02
17	A	M12*1.0	GB24-M12-WZ17A09

- 前锁法兰座，针端，非屏蔽，PCB 板接式
Front locking flange, pin-end, unshielded, PCB mount-mount




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
3	A	PG9	GB24-M12-Z03A23
3	A	M16*1.5	GB24-M12-Z03A31
4	A	PG9	GB24-M12-Z04A23
4	A	M16*1.5	GB24-M12-Z04A31
5	A	PG9	GB24-M12-Z05A23
5	A	M16*1.5	GB24-M12-Z05A31
8	A	PG9	GB24-M12-Z08A23
8	A	M16*1.5	GB24-M12-Z08A31

- 后锁法兰座，针端，非屏蔽，PCB 板接式
Rear locking flange, pin end, unshielded, PCB board mount




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
3	A	PG9	GB24-M12-Z03A13
3	A	M16*1.5	GB24-M12-Z03A15
4	A	PG9	GB24-M12-Z04A13
4	A	M16*1.5	GB24-M12-Z04A15
5	A	PG9	GB24-M12-Z05A13
5	A	M16*1.5	GB24-M12-Z05A15
8	A	PG9	GB24-M12-Z08A13
8	A	M16*1.5	GB24-M12-Z08A15

- 前锁法兰座，孔端，非屏蔽，PCB 板接式
Front locking flange, hole end, unshielded, PCB board mount




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
3	A	PG9	GB24-M12-Z03A11
3	A	M16*1.5	GB24-M12-Z03A37
4	A	PG9	GB24-M12-Z04A11
4	A	M16*1.5	GB24-M12-Z04A37
5	A	PG9	GB24-M12-Z05A11
5	A	M16*1.5	GB24-M12-Z05A37
8	A	PG9	GB24-M12-Z08A11
8	A	M16*1.5	GB24-M12-Z08A37

- 后锁法兰座，孔端，非屏蔽，PCB 板接式
Rear locking flange, hole end, unshielded, PCB board mount




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
3	A	PG9	GB24-M12-Z03A12
3	A	M16*1.5	GB24-M12-Z03A36
4	A	PG9	GB24-M12-Z04A12
4	A	M16*1.5	GB24-M12-Z04A36
5	A	PG9	GB24-M12-Z05A12
5	A	M16*1.5	GB24-M12-Z05A36
8	A	PG9	GB24-M12-Z08A12
8	A	M16*1.5	GB24-M12-Z08A36

- 后锁法兰座，针端，非屏蔽，焊接式
Rear locking flange seat, pin end, unshielded, soldered




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
3	A	M12*1.0	GB24-M12-Z03A04
4	A	M12*1.0	GB24-M12-Z04A04
5	A	M12*1.0	GB24-M12-Z05A04
8	A	M12*1.0	GB24-M12-Z08A04

- 后锁法兰座，针端，非屏蔽，PCB 板接式
Rear locking flange, pin end, unshielded, PCB board mount




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
3	A	M12*1.0	GB24-M12-Z03A14
4	A	M12*1.0	GB24-M12-Z04A14
5	A	M12*1.0	GB24-M12-Z05A14
8	A	M12*1.0	GB24-M12-Z08A14

- 前锁法兰座，针端，非屏蔽，焊接式
Front locking flange seat, pin end, unshielded, soldered




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
3	A	PG9	GB24-M12-Z03A18
3	A	M16*1.5	GB24-M12-Z03A38
4	A	PG9	GB24-M12-Z04A18
4	A	M16*1.5	GB24-M12-Z04A38
5	A	PG9	GB24-M12-Z05A18
5	A	M16*1.5	GB24-M12-Z05A38
8	A	PG9	GB24-M12-Z08A18
8	A	M16*1.5	GB24-M12-Z08A38

- 后锁法兰座，针端，非屏蔽，焊接式
Rear locking flange seat, pin end, unshielded, soldered




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
3	A	PG9	GB24-M12-Z03A03
3	A	M16*1.5	GB24-M12-Z03A16
4	A	PG9	GB24-M12-Z04A03
4	A	M16*1.5	GB24-M12-Z04A16
5	A	PG9	GB24-M12-Z05A03
5	A	M16*1.5	GB24-M12-Z05A16
8	A	PG9	GB24-M12-Z08A03
8	A	M16*1.5	GB24-M12-Z08A16

- 后锁法兰座, 孔端, 非屏蔽, 焊接式
Rear locking flange seat, hole end, unshielded, welded




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
4	A	PG9	GB24-M12-Z04A92
4	A	M12*1.0	GB24-M12-Z04A34D
5	A	PG9	GB24-M12-Z05A92
5	A	M12*1.0	GB24-M12-Z05A34D
8	A	PG9	GB24-M12-Z08A17
8	A	M12*1.0	GB24-M12-Z08A34D
12	A	M12*1.0	GB24-M12-Z12A34D
8	A	M16*1.5	GB24-M12-Z08A31A
17	A	PG9	GB24-M12-Z17A17
17	A	M12*1.0	GB24-M12-Z17A34D

- 前锁法兰座, 孔端, 非屏蔽, 焊接式
Front locking flange, hole end, unshielded, welded




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
3	A	PG9	GB24-M12-Z03A01
4	A	PG9	GB24-M12-Z04A01
5	A	PG9	GB24-M12-Z05A01
8	A	PG9	GB24-M12-Z08A01

- 后锁法兰座, 针端, 非屏蔽, 焊接式
Rear locking flange seat, pin end, unshielded, welded




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
4	A	PG9	GB24-M12-Z04A49
4	A	M12*1.0	GB24-M12-Z04A04B
8	A	M12*1.0	GB24-M12-Z08A04A
17	A	PG9	GB24-M12-Z17A04B
17	A	M12*1.0	GB24-M12-Z17A04A

- 后锁法兰座, 针端, 非屏蔽, 焊接式
Rear locking flange seat, pin end, unshielded, welded




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
4	A	M16*1.5	GB24-M12-Z04A05A
5	A	M16*1.5	GB24-M12-Z05A05B

- 后锁法兰座，孔端，非屏蔽，焊接式
Rear locking flange seat, hole end, unshielded, welded




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
3	A	M12*1.0	GB24-M12-Z03A34
4	A	M12*1.0	GB24-M12-Z04A34
5	A	M12*1.0	GB24-M12-Z05A34
8	A	M12*1.0	GB24-M12-Z08A34

- 后锁法兰座，针端，非屏蔽，PCB 板接式
Rear locking flange, pin end, unshielded, PCB board mount




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
3	A	M12*1.0	GB24-M12-Z03A33
4	A	M12*1.0	GB24-M12-Z04A33
5	A	M12*1.0	GB24-M12-Z05A33
8	A	M12*1.0	GB24-M12-Z08A33

- 前锁法兰座，孔端，非屏蔽，焊接式
Front locking flange, hole end, unshielded, welded




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
3	A	PG9	GB24-M12-Z03A09
3	A	M16*1.5	GB24-M12-Z03A35
4	A	PG9	GB24-M12-Z04A09
4	A	M16*1.5	GB24-M12-Z04A35
5	A	PG9	GB24-M12-Z05A09
5	A	M16*1.5	GB24-M12-Z05A35
8	A	PG9	GB24-M12-Z08A09
8	A	M16*1.5	GB24-M12-Z08A35

- 后锁法兰座，孔端，非屏蔽，焊接式
Rear locking flange seat, hole end, unshielded, welded




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
3	A	PG9	GB24-M12-Z03A02
3	A	M16*1.5	GB24-M12-Z03A32
4	A	PG9	GB24-M12-Z04A02
4	A	M16*1.5	GB24-M12-Z04A32
5	A	PG9	GB24-M12-Z05A02
5	A	M16*1.5	GB24-M12-Z05A32
8	A	PG9	GB24-M12-Z08A02
8	A	M16*1.5	GB24-M12-Z08A32

- 塑料前锁法兰座，孔端，非屏蔽，焊接式
Rear locking flange seat, hole end, unshielded, welded




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
2	A	M16*1.5	GB24-M12-Z02A69
4	A	M16*1.5	GB24-M12-Z04A69

- 塑料后锁法兰座，针端，非屏蔽，焊接式
Rear locking flange, pin end, unshielded, welded




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
2	A	M16*1.5	GB24-M12-Z02A05
4	A	M16*1.5	GB24-M12-Z04A05C
5	A	M16*1.5	GB24-M12-Z05A05A
6	A	M16*1.5	GB24-M12-Z06A05
7	A	M16*1.5	GB24-M12-ZS07A02
8	A	M16*1.5	GB24-M12-Z08A05A
12	A	M16*1.5	GB24-M12-Z12A05A

- 塑料前锁法兰座，针端，非屏蔽，焊接式
Front locking flange, hole end, unshielded, welded




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
3	A	M16*1.5	GB24-M12-ZS03A03
3	A	PG9	GB24-M12-ZS03A05
4	A	M16*1.5	GB24-M12-ZS04A03
4	A	PG9	GB24-M12-ZS04A05
5	A	M16*1.5	GB24-M12-ZS05A03
5	A	PG9	GB24-M12-ZS05A05
8	A	M16*1.5	GB24-M12-ZS08A03
8	A	PG9	GB24-M12-ZS08A05

- 塑料后锁法兰座，孔端，非屏蔽，焊接式
Rear locking flange seat, hole end, unshielded, welded




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
3	A	M16*1.5	GB24-M12-ZS03A04
3	A	PG9	GB24-M12-ZS03A06
4	A	M16*1.5	GB24-M12-ZS04A04
4	A	PG9	GB24-M12-ZS04A06
5	A	M16*1.5	GB24-M12-ZS05A04
5	A	PG9	GB24-M12-ZS05A06
8	A	M16*1.5	GB24-M12-ZS08A04
8	A	PG9	GB24-M12-ZS08A06

- 塑料后锁法兰座，孔端，非屏蔽，焊接式
Rear locking flange,hole end,unshielded,welded




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
5	A	PG9	GB24-M12-ZS05A06

- 塑料前锁法兰座，针端，非屏蔽，焊接式
Front locking flange,pin end,unshielded,welded




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
8	A	PG9	GB24-M12-ZS08A07

- 前锁法兰座，针端，PCB 板接式
Rear locking flange seat, pin end, PCB board mount




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
17	A	PG9	GB24-M12-Z17A23L

- 前锁法兰座，孔端，PCB 板接式
Rear locking flange, hole end, PCB board mount




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
5	A	PG9	GB24-M12-Z05A56
8	A	PG9	GB24-M12-Z08A56

- 前锁法兰座，孔端，屏蔽，PCB 板接式
Front locking flange, hole end, shielded, PCB board mount




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
8	X	PG9	GB24-M12-Z08X04A

- 前锁法兰座，孔端，屏蔽，PCB 板接式
Front locking flange, hole end, shielded, PCB board mount




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
8	X	PG9	GB24-M12-Z08X06

- 分体式法兰座，孔端，屏蔽，PCB 板接式
Split flange mount, hole end, shielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	D	GB24-M12-Z04D115
8	X	GB24-M12-Z08X115
5	B	GB24-M12-Z05B115
5	A	GB24-M12-Z05A115

- 分体式法兰座，针端，屏蔽，PCB 板接式
Split flange mount, pin end, shielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	A	GB24-M12-Z04A41B
5	A	GB24-M12-Z05A41

- 直角插座，针端，屏蔽，PCB 板接式
Right angle receptacle, pin end, shielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	A	GB24-M12-LZ04A01
5	A	GB24-M12-LZ05A01
8	A	GB24-M12-LZ08A01
4	B	GB24-M12-LZ04B01
5	B	GB24-M12-LZ05B01
4	D	GB24-M12-LZ04D01
5	D	GB24-M12-LZ05D01

- 直角插座，孔端，屏蔽，PCB 板接式
Right angle receptacle, hole end, shielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	A	GB24-M12-LZ04A02
5	A	GB24-M12-LZ05A02
8	A	GB24-M12-LZ08A02
4	B	GB24-M12-LZ04B02
5	B	GB24-M12-LZ05B02
4	D	GB24-M12-LZ04D02
5	D	GB24-M12-LZ05D02

- 贴片式插座，孔端，屏蔽，PCB 板接式
SMD socket, socket end, shielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
8	X	GB24-M12-TP08X02

- 贴片式插座，孔端，屏蔽，PCB 板接式
SMD socket, socket end, shielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	A	GB24-M12-TP04A02K
4	D	GB24-M12-TP04D02K
8	A	GB24-M12-TP08A02K
12	D	GB24-M12-TP12A04K
17	A	GB24-M12-TP17A02K

- 贴片式插座, 针端, 屏蔽, PCB 板接式
SMD socket, pin-ended, shielded, PCB




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	A	GB24-M12-TP04A01K
5	A	GB24-M12-TP05A01K
8	A	GB24-M12-TP08A01K
12	A	GB24-M12-TP12A03K
17	A	GB24-M12-TP17A01K

- 前锁法兰座, 孔端, 屏蔽, PCB 板接式
Front locking flange, hole end, shielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	D	GB24-M12-Z04D142
5	D	GB24-M12-Z05D142
8	A	GB24-M12-Z08A142

- 前锁法兰座, 针端, 屏蔽, PCB 板接式
Front locking flange, pin end, shielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
5	A	GB24-M12-Z05A163
5	D	GB24-M12-Z05D163

- 前锁法兰座, 针端, PCB 板接式
Front locking flange seat, pin end, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
5	K	GB24-M12-Z05K01

- 前锁法兰座，孔端，PCB 板接式
Front locking flange seat, hole end, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
5	K	GB24-M12-Z05K02

- 前锁法兰座，针端，PCB 板接式
Front locking flange seat, pin end, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	S	GB24-M12-Z04S05

- 前锁法兰座，孔端，PCB 板接式
Rear locking flange seat, hole end, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	S	GB24-M12-Z04S06

- 前锁法兰座，针端，PCB 板接式
Front locking flange seat, pin end, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
5	L	GB24-M12-ZT05L03

- 前锁法兰座，孔端，PCB 板接式
Rear locking flange seat, hole end, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
5	L	GB24-M12-ZT05L04

- 前锁法兰座，针端，屏蔽，PCB 板接式
Front locking flange seat, pin end, shielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
6	Y	GB24-M12-Z06Y01
8	Y	GB24-M12-Z08Y01

- 压铸电缆插头，孔端，屏蔽，PCB 板接式
Front locking flange, hole end, shielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
6	Y	GB24-M12-Z06Y02
8	Y	GB24-M12-Z08Y02

- 前锁法兰座，针端，屏蔽，焊接式
Front locking flange seat, pin end, shielded, welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
8	X	GB24-M12-Z08X01

- 前锁法兰座，孔端，屏蔽，焊接式
Front locking flange seat, hole end, shielded, welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
8	X	GB24-M12-Z08X02B

- 前锁法兰座，针端，屏蔽，PCB 板接式
Front locking flange seat, pin end, shielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	A	GB24-M12-ZT04A01
5	A	GB24-M12-ZT05A01
8	A	GB24-M12-ZT08A01
12	A	GB24-M12-ZT12A01
17	A	GB24-M12-ZT17A01
4	B	GB24-M12-ZT04B01
5	B	GB24-M12-ZT05B01
4	D	GB24-M12-ZT04D01
5	D	GB24-M12-ZT05D01

- 前锁法兰座，孔端，屏蔽，PCB 板接式
Front locking flange, hole end, shielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	A	GB24-M12-ZT04A02
5	A	GB24-M12-ZT05A02
8	A	GB24-M12-ZT08A02
12	A	GB24-M12-ZT12A02
17	A	GB24-M12-ZT17A02
4	B	GB24-M12-ZT04B02
5	B	GB24-M12-ZT05B02
4	D	GB24-M12-ZT04D02
5	D	GB24-M12-ZT05D02

- 分体式插座，孔端，屏蔽，PCB 板接式
Split receptacle, hole end, shielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	D	GB24-M12-ZT04D04
8	X	GB24-M12-ZT08X02
8	Y	GB24-M12-ZT08Y02

- 前锁法兰座，针端，PCB 板接式
Front locking flange seat, pin end, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
5	L	GB24-M12-Z05L01

- 前锁法兰座，孔端，PCB 板接式
Front locking flange seat, hole end, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
5	L	GB24-M12-Z05L02

- 前锁法兰座，孔端，非屏蔽，PCB 板接式，推拉自锁式
Front locking flange, hole end, unshielded, PCB board mount, push-pull self-locking




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	D	GB24-M12-PZ04D01

- 前锁法兰座，孔端，非屏蔽，焊接式
Front locking flange,hole end,unshielded,welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	S	GB24-M12-Z04S02
4	T	GB24-M12-Z04T02

- 后锁法兰座，针端，非屏蔽，焊接式
Rear locking flange seat, pin end,unshielded,welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	S	GB24-M12-Z04S03
4	T	GB24-M12-Z04T01A

- 前锁法兰座，针端，非屏蔽，焊接式
Front locking flange, pin end,unshielded,welded




针数 Cant acts	编码 Coding	螺纹规格 Fixing thread	订货号 Ordering-No.
4	S	M16*1.5	GB24-M12-Z04S03A
4	T	M16*1.5	GB24-M12-Z04T05
4	T	PG9	GB24-M12-Z04T03

- 方盘座，孔端，非屏蔽，压接式
Square disc holder, hole end,unshielded,crimping




针数 Cant acts	编码 Coding	订货号 Ordering-No.
5	A	GB24-M12-Z05A136

- 方盘座，针端，非屏蔽，压接式
Square disc holder, pin end,unshielded,crimping




针数 Cant acts	编码 Coding	订货号 Ordering-No.
5	A	GB24-M12-Z05A137

- 前锁法兰座，孔端，屏蔽，PCB 板接式
Front locking flange, hole end, shielded, PCB board mount, push-pull self-locking




针数 Cant acts	编码 Coding	订货号 Ordering-No.
8	X	GB24-M12-PZ08X02

- 方盘座，针端，非屏蔽，焊接式
Square disc holder, pin-end, unshielded, soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	A	GB24-M12-Z04A107
5	A	GB24-M12-Z05A107
8	A	GB24-M12-Z08A107

- 方盘座，孔端，非屏蔽，PCB 板接式
Square disc holder, hole end, unshielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	A	GB24-M12-Z04A120
5	A	GB24-M12-Z05A120
8	A	GB24-M12-Z08A120

- RJ45 浇铸插座，孔端，非屏蔽，焊接式
RJ45 cast receptacle, hole end, unshielded, soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	A	GB24-M12-Z04A144
5	A	GB24-M12-Z05A144
8	A	GB24-M12-Z08A144

- RJ45 浇铸插座，针端，非屏蔽，焊接式
RJ45 cast socket, pin ded, unshielded, soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	A	GB24-M12-Z04A145
5	A	GB24-M12-Z05A145
8	A	GB24-M12-Z08A145

- RJ45 压铸插座, 针端, 屏蔽, 焊接式
RJ45 cast socket, pin end, shielded, soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
8	X	GB24-M12-Z08X07

- RJ45 压铸插座, 孔端, 屏蔽, 焊接式
RJ45 Cast Receptacle, Hole End, Shielded, Soldered




针数 Cant acts	编码 Coding	订货号 Ordering-No.
8	X	GB24-M12-Z08X12

- 弯角插座, 孔端, 屏蔽, PCB 板接式
Angled sockets, hole ends, shielded, PCB board mounts




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	D	GB24-M12-WZ04D06

- 弯角插座, 孔端, 屏蔽, PCB 板接式
Angled sockets, hole ends, shielded, PCB board mounts




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	D	GB24-M12-WZ04D06B

- 分体式弯角插座, 孔端, 屏蔽, PCB 板接式
Split corner receptacle, hole end, shielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
8	X	GB24-M12-WZ08X04

- 前锁弯角插座, 孔端, 屏蔽, PCB 板接式
Front locking angled receptacle, hole end, shielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
4	D	GB24-M12-WZ04D03A

- 前锁法兰座, 孔端, 屏蔽, PCB 板接式
Front locking flange, hole end, shielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
8	X	GB24-M12-Z08X09

- 前锁法兰座, 孔端, 屏蔽, PCB 板接式
Front locking flange, hole end, shielded, PCB board mount




针数 Cant acts	编码 Coding	订货号 Ordering-No.
8	X	GB24-M12-Z08X37

- 前锁法兰座, 孔端, 屏蔽, 焊接式
Front locking flange seat, hole end, shielded, welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
8	X	GB24-M12-Z08X02

- 前锁法兰座, 孔端, 屏蔽, 焊接式
Front locking flange seat, hole end, shielded, welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
8	X	GB24-M12-Z08X02A

- 浇铸电缆插头，针端，屏蔽，焊接式
Cast cable plugs, pin ends, shielded, welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
6	Y	GB24-M12-T06Y01
8	Y	GB24-M12-T08Y01

- 浇铸电缆插头，孔端，屏蔽，焊接式
Cast cable plugs, hole ends, shielded, welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
6	Y	GB24-M12-T06Y02
8	Y	GB24-M12-T08Y02

- 浇铸电缆插头，针端，屏蔽，焊接式
Cast cable plugs, pin ends, shielded, welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
8	X	GB24-M12-T08X01D-03

- 浇铸电缆插头，针端，屏蔽，焊接式
Cast cable plugs, pin ends, shielded, welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
8	X	GB24-M12-T08X01

- 浇铸电缆插头，孔端，屏蔽，焊接式
Cast cable plugs, hole ends, shielded, welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
8	X	GB24-M12-T08X02

- 浇铸电缆插头，针端，屏蔽，焊接式
Cast cable plugs, pin ends, shielded, welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
8	X	GB24-M12-T08X03

- 浇铸电缆插头，孔端，屏蔽，焊接式
Cast cable plugs, hole ends, shielded, welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
8	X	GB24-M12-T08X04

- 浇筑电缆插头，针端，屏蔽，焊接式
Cast cable plugs, pin ends, shielded, welded




针数 Cant acts	编码 Coding	订货号 Ordering-No.
8	X	GB24-M12-T08X01D-03A

- 浇筑电缆连接器，孔，螺纹系列，M12*1
Cast cable connector, hole, thread series, M12*1




针数 Cant acts	电缆规格 Cabel	材质 Material	订货号 Ordering-No.
3	3*0.34	PVC	GB24-L12-LT03A02-XX-*
3	3*0.34	PUR	GB24-L12-LT03A02-XX-*
4	4*0.34	PVC	GB24-L12-LT04A02-XX-*
4	4*0.34	PUR	GB24-L12-LT04A02-XX-*
5	5*0.34	PVC	GB24-L12-LT05A02-XX-*
5	5*0.34	PUR	GB24-L12-LT05A02-XX-*
8	8*0.34	PVC	GB24-L12-LT08A02-XX-*
8	8*0.34	PUR	GB24-L12-LT08A02-XX-*
12	12*0.34	PVC	GB24-L12-LT12A02-XX-*
12	12*0.34	PUR	GB24-L12-LT12A02-XX-*

- 浇筑电缆连接器，孔，螺纹系列，M12*1
Cast cable connector, hole, thread series, M12*1




针数 Cant acts	电缆规格 Cabel	材质 Material	订货号 Ordering-No.
3	3*0.34	PVC	GB24-W12-LT03A02-XX-*
3	3*0.34	PUR	GB24-W12-LT03A02-XX-*
4	4*0.34	PVC	GB24-W12-LT04A02-XX-*
4	4*0.34	PUR	GB24-W12-LT04A02-XX-*
5	5*0.34	PVC	GB24-W12-LT05A02-XX-*
5	5*0.34	PUR	GB24-W12-LT05A02-XX-*
8	8*0.34	PVC	GB24-W12-LT08A02-XX-*
8	8*0.34	PUR	GB24-W12-LT08A02-XX-*
12	12*0.34	PVC	GB24-W12-LT12A02-XX-*
12	12*0.34	PUR	GB24-W12-LT12A02-XX-*

- 浇筑电缆连接器，针，螺纹系列，M12*1
Cast cable connector, pin, thread series, M12*1



针数 Cant acts	电缆规格 Cabel	材质 Material	订货号 Ordering-No.
3	3*0.34	PVC	GB24-L12-LT03A01-XX-*
3	3*0.34	PUR	GB24-L12-LT03A01-XX-*
4	4*0.34	PVC	GB24-L12-LT04A01-XX-*
4	4*0.34	PUR	GB24-L12-LT04A01-XX-*
5	5*0.34	PVC	GB24-L12-LT05A01-XX-*
5	5*0.34	PUR	GB24-L12-LT05A01-XX-*
8	8*0.34	PVC	GB24-L12-LT08A01-XX-*
8	8*0.34	PUR	GB24-L12-LT08A01-XX-*
12	12*0.34	PVC	GB24-L12-LT12A01-XX-*
12	12*0.34	PUR	GB24-L12-LT12A01-XX-*

- 浇筑电缆连接器，针，螺纹系列，M12*1
Cast cable connector, pin, thread series, M12*1





针数 Cant acts	电缆规格 Cabel	材质 Material	订货号 Ordering-No.
3	3*0.34	PVC	GB24-W12-LT03A01-XX-*
3	3*0.34	PUR	GB24-W12-LT03A01-XX-*
4	4*0.34	PVC	GB24-W12-LT04A01-XX-*
4	4*0.34	PUR	GB24-W12-LT04A01-XX-*
5	5*0.34	PVC	GB24-W12-LT05A01-XX-*
5	5*0.34	PUR	GB24-W12-LT05A01-XX-*
8	8*0.34	PVC	GB24-W12-LT08A01-XX-*
8	8*0.34	PUR	GB24-W12-LT08A01-XX-*
12	12*0.34	PVC	GB24-W12-LT12A01-XX-*
12	12*0.34	PUR	GB24-W12-LT12A01-XX-*

防尘盖




DUST CAPS

► M8母端金属防尘盖
Metal dust cap for M8 female





螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹 M8*1.0 External thread	铜合金 Copper alloy	GB24-M8-F10

► M8母端金属防尘盖
Metal dust cap for M8 female






螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹 M8*1.0 External thread	铜合金 Copper alloy	GB24-M8-F10A

► M8母端防尘盖
Dust cap for M8 female



螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹 M8*1.0 External thread	PA	GB24-008-F03



► M8公端金属防尘盖
Metal dust cap for M8 male



截面 A-A
Section A-A



螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M8*1.0 Internal thread	铜合金 Copper alloy	GB24-M8-F01

► M8公端防尘盖
Dust cap for M8 male





螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M8*1.0 Internal thread	PA	GB24-M8-F16

► M12母端金属防尘盖
Metal dust cap for M12 female





螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹 M12*1.0 External thread	铜合金 Copper alloy	GB24-M12-F01B

► M12母端金属防尘盖
Metal dust cap for M12 female





螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹 M12*1.0 Ext. thread	铜合金 Copper alloy	GB24-M12-F15

► M12母端金属防尘盖
Metal dust cap for M12 female






螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹 M12*1.0 External thread	铜合金 Copper alloy	GB24-M12-F15A

► M12母端金属防尘盖
Metal dust cap for M12 female



螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹 M12*1.0 External thread	铜合金 Copper alloy	GB24-M12-F40


► M12母端金属防尘盖
Metal dust cap for M12 female



截面 A-A



螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹 M12*1.0 External thread	铜合金 Copper alloy	GB24-012-F11

► M12母端金属防尘盖
Metal dust cap for M12 female





螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹 M12*1.0 External thread	铝合金 Aluminum alloy	GB24-M12-FCG03

► M12母端防尘盖
Dust cap for M12 female




螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹 M12*1.0 External thread	PA	GB24-012-F12

► M12公端金属防尘盖
Metal dust cap for M12 male





螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M12*1.0 Internal thread	铜合金 Copper alloy	GB24-M12-F01

► M12公端金属防尘盖
Metal dust cap for M12 male




螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M12*1.0 Internal thread	铜合金 Copper alloy	GB24-M12-F01A

► M12公端金属防尘盖
Metal dust cap for M12 male




螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M12*1.0 Internal thread	铜合金 Copper alloy	GB24-M12-F05

► M12公端金属防尘盖
Metal dust cap for M12 male





截面A-A
Section A-A




螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M12*1.0 Internal thread	铜合金 Copper alloy	GB24-M12-F05A

► M12公端金属防尘盖
Metal dust cap for M12 male




截面 A-A





螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M12*1.0 Internal thread	铜合金 Copper alloy	GB24-M12-F17

► M12公端金属防尘盖
Metal dust cap for M12 male





螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M12*1.0 Internal thread	铜合金 Copper alloy	GB24-M12-F18

► M12公端金属防尘盖
Metal dust cap for M12 male




螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M12*1.0 Internal thread	铜合金 Copper alloy	GB24-M12-F19

► M12公端金属防尘盖
Metal dust cap for M12 male





螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M12*1.0 Internal thread	铜合金 Copper alloy	GB24-M12-F21

► M12公端金属防尘盖
Metal dust cap for M12 male




螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M12*1.0 Internal thread	铜合金 Copper alloy	GB24-M12-F21A

► M12公端金属防尘盖
M12 male metal dust cap




螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M12*1.0 Internal thread	铜合金 Copper alloy	GB24-M12-F42

► M12公端金属防尘盖
Metal dust cap for M12 male



螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M12*1.0 Internal thread	铜合金 Copper alloy	GB24-M12-FCG01


► M12公端金属防尘盖
Metal dust cap for M12 male



螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M12*1.0 Internal thread	铜合金 Copper alloy	GB24-M12-FCG002

► M12公端防尘盖


Dust cap for M12 male



螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M12*1.0 Internal thread	PA	GB24-M12-F14

► M12公端防尘盖


Dust cap for M12 male



螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M12*1.0 Internal thread	PA	GB24-M12-F16

► M12公端防尘盖


Dust cap for M12 male



螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M12*1.0 Internal thread	PA	GB24-M12-F22

► M12母端金属防尘盖



M12 female metal dust cap



螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹M12*1.0 External thread	铝合金 Aluminum alloy	GB24-M12-FCG03

► M12母端金属防尘盖


Metal dust cap for M12 female



螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹M12*1.0 External thread	铜合金 Copper alloy	GB24-M12-FCG05

▶ M12母端金属防尘盖


M12 female metal dust cap



螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹M12*1.0 External thread	铝合金 Aluminum alloy	GB24-M12-FCG07

▶ M16母端金属防尘盖


M16 female metal dust cap



螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹 M16*0.75 External thread	铜合金 Copper alloy	GB24-M16-F03


▶ M16母端金属防尘盖

Metal dust cap for M16 female




螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹 M16*0.75 External thread	铜合金 Copper alloy	GB24-M16-F03A

► M16公端金属防尘盖
Metal dust cap for M16 male




螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M16*1.0 Internal thread	铜合金 Copper alloy	GB24-M16-F01

► M16公端金属防尘盖
Metal dust cap for M16 male




螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M16*0.75 Internal thread	铜合金 Copper alloy	GB24-M16-F02

► M16公端金属防尘盖
M16 male metal dust cap




螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹 M16*0.75 External thread	铝合金 Aluminum alloy	GB24-M16-FCGO1

► M16母端防尘盖
Dust cap for M16 female




螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹M16*0.75 External thread	PA	GB24-M16-F04

► M16公端防尘盖
Dust cap for M16 male




螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹M16*0.75 External thread	PA	GB24-M16-F05

► M16公端金属防尘盖
Metal dust cap for M16 male




螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹 M16*0.75 External thread	铝合金 Aluminum alloy	GB24-M16-FCG02

► M17公端金属防尘盖
Metal dust cap for M17 male




螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M17*1.0 Internal thread	铝合金 Aluminum alloy	GB24-M17-FCG03

► M23公端金属防尘盖
Metal dust cap for M23 male




螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M23*1.0 Internal thread	铝合金 Aluminum alloy	GB24-M23-FCG01

► M23公端金属防尘盖
Metal dust cap for M23 male




螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M23*1.0 Internal thread	铝合金 Aluminum alloy	GB24-M23-FCG02

► M23公端金属防尘盖
Metal dust cap for M23 male




螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M23*1.0 Internal thread	铝合金 Aluminum alloy	GB24-M23-FCG02A

► M23公端金属防尘盖
Metal dust cap for M23 male




螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M23*1.0 Internal thread	铝合金 Aluminum alloy	GB24-M23-FCG02B

► M23母端金属防尘盖
Metal dust cap for M23 female




螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹 M23*1.0 External thread	铝合金 Aluminum alloy	GB24-M23-FCG03

► M24公端金属防尘盖
Metal dust cap for M24 male



螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
内螺纹 M24*1.0 Internal thread	304不锈钢 304 stainless steel	GB24-GX-FCG01

► M24母端金属防尘盖
Metal dust cap for M24 female



螺纹规格 Thread Specifications	壳体材料 Shell Material	订货号 Ordering-No.
外螺纹 M24*1.0 External thread	304不锈钢 304 stainless steel	GB24-GX-FCG02

PRODUCT SERIES / 12

针孔件

PIN & SOCKET CONTACTS


Applicable models

型号: L102-012-3031 接触直径: $\varnothing 0.8\text{mm}$

类型: 插针 压线范围: 18AWG-20AWG

Model: L102-012-3031 Contact diameter: 0.8 mm

Type: Pin contact Wire range: 18-20 AWG



应用产品型号

GB24-M12-Y08A05


Applicable models

型号: L102-012-3048 接触直径: $\varnothing 0.8\text{mm}$

类型: 插针 压线范围: 22AWG-24AWG

Model: L102-012-3048 Contact diameter: 0.8 mm

Type: Pin contact Wire range: 22-24 AWG



应用产品型号

GB24-M12-Y08A05C



Applicable models

型号: L102-012-3007 接触直径: $\varnothing 1.0\text{mm}$

类型: 插针 压线范围: 18AWG-20AWG

Model: L102-012-3007 Contact diameter: 1.0 mm

Type: Pin contact Wire range: 18-20 AWG



应用产品型号

GB24-M12-Y04A01

GB24-M12-Y04D01

GB24-M12-Y04D01-01

GB24-M12-WY04A03

GB24-M12-WY04D03

GB24-M12-Y04D03A

GB24-M12-Y1001



Applicable models

型号: L102-012-3007D 接触直径: $\varnothing 1.0\text{mm}$

类型: 插针 压线范围: 22AWG-24AWG

Model: L102-012-3007D Contact diameter: 1.0 mm

Type: Pin contact Wire range: 22-24 AWG



应用产品型号

GB24-M12-Y04D03

GB24-M12-Y04D01D

GB24-M12-Y04D01H

GB24-M12-Y04D01G

GB24-M12-Y04D01F

GB24-M12-Y04A01A

GB24-M12-Y04A01B


GB24-M12-Y04D01A-01

型号: L102-012-363B 接触直径: Ø0.6mm

类型: 插针 压线范围: 24AWG-26AWG

Model: L102-012-363B Contact diameter: 0.6 mm

Type: Pin contact Wire range: 24-26 AWG



Applicable models

应用产品型号

GB24-M12-Y08X05

GB24-M12-Y08X03


GB24-M12-Y08X03B

型号: GB24-251-0818 直径: Ø0.6mm

类型: 插针 压 24AWG-26AWG

Model: GB24-251-0818 Contact diameter: 0.6 mm

Type: Pin contact Wire range: 24-26 AWG



Applicable models

应用产品型号



GB24-M12-Y08X03C-01

型号: L102-012-8040A 接触直径: Ø1.0mm

类型: 冠簧插孔组件 压线范围: 18AWG-20AWG

Model: L102-012-8040A Contact diameter: 1.0 mm

Type: Crown-spring socket assembly Wire range: 18-20 AWG



Applicable models

应用产品型号

GB24-M12-Y04A02

GB24-M12-Y04D02

GB24-M12-Y04A02B

GB24-M12-Y04D02B

GB24-M12-Y04D02-01



GB24-M12-Y04D02B-01

型号: L102-012-8041A 接触直径: Ø1.0mm

类型: 冠簧插孔组件 压线范围: 22AWG-24AWG

Model: L102-012-8041A Contact diameter: 1.0 mm

Type: Crown-spring socket assembly Wire range: 22-24 AWG



Applicable models

应用产品型号

GB24-M12-Y04A02A

GB24-M12-Y04D02A

GB24-M12-Y04A02C

GB24-M12-Y04D02C

GB24-M12-Y04D02A-01


GB24-M12-Y04D02C-01

型号: L102-012-8060 接触直径: Ø0.6mm

类型: 插孔 压线范围: 24AWG-26AWG

Model: L102-012-8060 Contact diameter: 0.6 mm

Type: Socket contact Wire range: 24-26 AWG



Applicable models

应用产品型号

GB24-M12-Y08X02

Applicable models

型号: GB24-132-0806 接触直径: Ø0.8mm


类型: 钢套插孔组件 压线范围: 18AWG-20AWG

Model: GB24-132-0806 Contact diameter: 0.8 mm

Type: Steel-sleeved socket assembly Wire range: 18-20 AWG

应用产品型号

GB24-M12-Y08A02



Applicable models

型号: GB24-132-0807 接触直径: Ø0.8mm


类型: 钢套插孔组件 压线范围: 22AWG-24AWG

Model: GB24-132-0807 Contact diameter: 0.8 mm

Type: Steel-sleeved socket assembly Wire range: 22-24 AWG

应用产品型号

GB24-M12-Y08A02-01



Applicable models

型号: GB24-132-0813 接触直径: Ø0.8mm


类型: 钢套插孔组件 压线范围: 22AWG-24AWG

Model: GB24-132-0813 Contact diameter: 0.8 mm

Type: Steel-sleeved socket assembly Wire range: 22-24 AWG

应用产品型号

GB24-M12-Y08X04



Applicable models


型号: GB24-251-0828 接触直径: Ø0.6mm

类型: 插孔 压线范围: 24AWG-26AWG

Model: GB24-251-0828 Contact diameter: 0.6 mm
Type: Socket contact Wire range: 24-26 AWG

应用产品型号

GB24-M12-Y1001



Applicable models

型号: L102-017-301 接触直径: Ø0.6mm


类型: 插针 压线范围: 22AWG-24AWG

Model: L102-017-301 Contact diameter: 0.6 mm
Type: Pin contact Wire range: 22-24 AWG

应用产品型号

GB24-M17-Y1701

GB24-M17-Y1705



Applicable models

型号: L102-017-802 接触直径: Ø1.0mm



类型: 插孔 压线范围: 18AWG-20AWG

Model: L102-017-802 Contact diameter: 1.0 mm
Type: Socket contact Wire range: 18-20 AWG

应用产品型号

GB24-M17-Y0202

GB24-M17-Y0802



Applicable models

型号: L102-017-801 接触直径: Ø0.6mm


类型: 插孔 压线范围: 22AWG-24AWG

Model: L102-017-801 Contact diameter: 0.6 mm
Type: Socket contact Wire range: 22-24 AWG

应用产品型号

GB24-M17-Y1702

GB24-M17-Y1704



Applicable models

型号: L102-017-302 接触直径: Ø1.0mm


类型: 插针 压线范围: 18AWG-20AWG

Model: L102-017-302 Contact diameter: 1.0 mm
Type: Pin contact Wire range: 18-20 AWG

应用产品型号

GB24-M17-WZ0203

GB24-M17-WZ0803




型号: L102-023-308 接触直径: Ø2.0mm

类型: 插针 压线范围: 12AWG-16AWG

Model: L102-023-308 Contact diameter: 2.0 mm

Type: Pin contact Wire range: 12-16 AWG



Applicable models

应用产品型号



GB24-M23-Y0601
GB24-M23-Y0603
GB24-M23-WY0601
GB24-M23-Y0701
GB24-M23-Z0615A
GB24-M23-Z0717A
GB24-M23-Y0901
GB24-M23-Y0903
GB24-M23-Z0909A

型号: GB24-251-0805 接触直径: Ø1.0mm

类型: 插针 压线范围: 18AWG-20AWG

Model: GB24-251-0805 Contact diameter: 1.0 mm

Type: Pin contact Wire range: 18-20 AWG



Applicable models

应用产品型号


GB24-M23-Y0901
GB24-M23-Y0903
GB24-M23-Z0909A
GB24-M23-Y1201
GB24-M23-Y1701
GB24-M23-Y1203
GB24-M23-Y1703
GB24-M23-WY1201
GB24-M23-WY1701
GB24-M23-Z1209A
GB24-M23-Z1709A
GB24-M23-Z1909A
GB24-M23-Y1901
GB24-M23-Y1903
GB24-M23-WY1901
GB24-M23-YD0801
GB24-M23-ZD0801
GB24-M23-WZ0801A
GB24-M23-WZ0805
GB24-M27-Y2601

型号: L102-023-307 接触直径: Ø1.5mm

类型: 插针 压线范围: 16AWG-18AWG

Model: L102-023-307 Contact diameter: 1.5 mm

Type: Pin contact Wire range: 16-18 AWG



Applicable models

应用产品型号

GB24-M23-Y1901
GB24-M23-Y1903
GB24-M23-WY1901

Applicable models

应用产品型号



GB24-M23-Y1701-01
 GB24-M23-Y1203-01

型号:GB24-251-0827 接触直径:Ø1.0mm


类型:插针 压线范围:18AWG-20AWG

Model: GB24-251-0827 Contact diameter: 1.0 mm

Type: Pin contact Wire range: 18-20 AWG





型号: L102-023-811 接触直径: Ø2.0mm
 类型: 插孔 压线范围: 12AWG-16AWG
 Model: L102-023-811 Contact diameter: 2.0 mm
 Type: Socket contact Wire range: 12-16 AWG



Applicable models

应用产品型号
GB24-M23-Y0602
GB24-M23-Y0702
GB24-M23-Y0604
GB24-M23-Z0609
GB24-M23-Y0902
GB24-M23-Y0904



型号: L102-023-801 接触直径: Ø1.0mm
 类型: 插孔 压线范围: 18AWG-20AWG
 Model: L102-023-801 Contact diameter: 1.0 mm
 Type: Socket contact Wire range: 18-20 AWG



Applicable models

应用产品型号
GB24-M23-Y0902
GB24-M23-Y0904
GB24-M23-Y1202
GB24-M23-Y1702
GB24-M23-Y1204
GB24-M23-Y1704
GB24-M23-Z1209
GB24-M23-Z1709
GB24-M23-Y1902
GB24-M23-Y1904
GB24-M27-Y2602


型号: L102-023-812 接触直径: Ø1.5mm
 类型: 插孔 压线范围: 16AWG-18AWG
 Model: L102-023-812 Contact diameter: 1.5 mm
 Type: Socket contact Wire range: 16-18 AWG



Applicable models

应用产品型号
GB24-M23-Y1902
GB24-M23-Y1904

型号: L102-023-309 接触直径: Ø2.0mm
 类型: 插针 压线范围: 12AWG-16AWG
 Model: L102-023-309 Contact diameter: 2.0 mm
 Type: Pin contact Wire range: 12-16 AWG



Applicable models



应用产品型号
GB24-M23-YD0401
GB24-M23-YD0601
GB24-M23-ZD0401
GB24-M23-ZD0601
GB24-M23-WZ0401A
GB24-M23-WZ0406A
GB24-M23-WZ0605
GB24-M23-YD0801
GB24-M23-ZD0801
GB24-M23-WZ0801A
GB24-M23-WZ0805

型号: L102-023-815A 接触直径: Ø2.0mm

类型: 冠簧组件 压线范围: 12AWG-16AWG

Model: L102-023-815A Contact diameter: 2.0 mm

Type: Crown-spring assembly Wire range: 12-16 AWG



Applicable models

应用产品型号

GB24-M23-YD0602

GB24-M23-YD0402

GB24-M23-WD0402

GB24-M23-WD0602

GB24-M23-YD0802

GB24-M40-Y0602

GB24-M40-Y0802

GB24-M40-Y0604


GB24-M40-Y0804

型号: L102-023-813A 接触直径: Ø1.0mm

类型: 冠簧组件 压线范围: 18AWG-20AWG

Model: L102-023-813A Contact diameter: 1.0 mm

Type: Crown-spring assembly Wire range: 18-20 AWG



Applicable models

应用产品型号


GB24-M23-YD0802

型号: GB24-251-0821 接触直径: Ø3.6mm

类型: 插针 压线范围: 8AWG-12AWG

Model: GB24-251-0821 Contact diameter: 3.6 mm

Type: Pin contact Wire range: 8-12 AWG



Applicable models

应用产品型号

GB24-M40-Y0601


GB24-M40-Y0801

型号: GB24-251-0820 接触直径: Ø2.0mm

类型: 插针 压线范围: 12AWG-16AWG

Model: GB24-251-0820 Contact diameter: 2.0 mm

Type: Pin contact Wire range: 12-16 AWG



Applicable models

应用产品型号



GB24-M40-Y0601

GB24-M40-Y0801

型号: L102-040-801A 接触直径: Ø3.6mm

类型: 冠簧组件 压线范围: 8AWG-12AWG

Model: L102-040-801A Contact diameter: 3.6 mm
Type: Crown-spring assembly Wire range: 8-12 AWG



Applicable models

应用产品型号

GB24-M40-Y0602

GB24-M40-Y0802


GB24-M40-Y0604

GB24-M40-Y0804

型号: L102-040-303 接触直径: Ø2.0mm

类型: 插针 压线范围: 12AWG-16AWG

Model: L102-040-303 Contact diameter: 2.0 mm
Type: Pin contact Wire range: 12-16 AWG



Applicable models

应用产品型号


GB24-M40-WZ0601

GB24-M40-Z0801

型号: L102-040-304 接触直径: Ø3.6mm

类型: 插针 压线范围: 8AWG-12AWG

Model: L102-040-304 Contact diameter: 3.6 mm
Type: Pin contact Wire range: 8-12 AWG



Applicable models

应用产品型号



GB24-M40-WZ0601

GB24-M40-Z0801

型号: GB24-124-0809 接触直径: Ø3.6mm

类型: 插孔组件 压线范围: 6AWG-10AWG

Model: GB24-124-0809 Contact diameter: 3.6 mm
Type: Socket assembly Wire range: 6-10 AWG



Applicable models

应用产品型号

GB24-M40-Y0802-02